

**City of Weyburn, Property Maintenance Bylaw 2004-3021**  
**Table of Contents**

|   |                           |
|---|---------------------------|
| Part I - Interpretation .....                                   | <a href="#"><u>3</u></a>  |
| Short Title .....   | <a href="#"><u>3</u></a>  |
| Purpose .....   | <a href="#"><u>3</u></a>  |
| Definitions .....   | <a href="#"><u>3</u></a>  |
| Responsibility .....  | <a href="#"><u>4</u></a>  |
| Part II - Nuisances .....                                       | <a href="#"><u>5</u></a>  |
| Nuisances Prohibited Generally .....                            | <a href="#"><u>5</u></a>  |
| Dilapidated Buildings .....                                     | <a href="#"><u>5</u></a>  |
| Unoccupied Buildings .....                                      | <a href="#"><u>5</u></a>  |
| Overgrown Grass and Weeds .....                                 | <a href="#"><u>5</u></a>  |
| Untidy and Unsightly Property .....                             | <a href="#"><u>5</u></a>  |
| Junked Vehicles .....   | <a href="#"><u>6</u></a>  |
| Open Excavations .....  | <a href="#"><u>6</u></a>  |
| Pet Wastes .....  | <a href="#"><u>6</u></a>  |
| Part III - Property Maintenance .....                           | <a href="#"><u>7</u></a>  |
| Duty to Maintain .....  | <a href="#"><u>7</u></a>  |
| Division 1 - Maintenance of Yards and Accessory Buildings ..... | <a href="#"><u>8</u></a>  |
| Application .....   | <a href="#"><u>8</u></a>  |
| Maintenance of Yards .....                                      | <a href="#"><u>8</u></a>  |
| Outdoor Storage of Materials .....                              | <a href="#"><u>8</u></a>  |
| Refrigerators and Freezers .....                                | <a href="#"><u>8</u></a>  |
| Walkways, Driveways and Parking Spaces .....                    | <a href="#"><u>8</u></a>  |
| Waste Disposal .....  | <a href="#"><u>8</u></a>  |
| Accessory Buildings .....                                       | <a href="#"><u>9</u></a>  |
| Fences .....  | <a href="#"><u>9</u></a>  |
| Division 2 - Building Standards (Exterior) .....                | <a href="#"><u>10</u></a> |
| Application .....   | <a href="#"><u>10</u></a> |
| Building Components .....                                       | <a href="#"><u>10</u></a> |
| Exterior Walls .....  | <a href="#"><u>10</u></a> |
| Roofs .....   | <a href="#"><u>10</u></a> |
| Chimneys .....  | <a href="#"><u>11</u></a> |
| Exterior Doors, Storm Doors, Windows and Screens .....          | <a href="#"><u>11</u></a> |
| Stairs, Porches, Decks and Railings .....                       | <a href="#"><u>11</u></a> |
| Division 3 - Building Standards (Interior) .....                | <a href="#"><u>12</u></a> |
| Application .....   | <a href="#"><u>12</u></a> |
| Floors and Stairs .....   | <a href="#"><u>12</u></a> |
| Walls and Ceilings .....  | <a href="#"><u>12</u></a> |

|   |                    |
|---|--------------------|
| Plumbing, Heating and Mechanical Standards .....              | <a href="#">12</a> |
| Water Supply .....  | <a href="#">12</a> |
| Plumbing Facilities .....                                     | <a href="#">12</a> |
| Gas and Open Flame Type Appliances .....                      | <a href="#">12</a> |
| Fireplaces .....  | <a href="#">13</a> |
| Ventilation .....   | <a href="#">13</a> |
| Electrical Services .....                                     | <a href="#">13</a> |
| Light .....   | <a href="#">13</a> |
| Egress .....  | <a href="#">14</a> |
| Structural Standards .....                                    | <a href="#">14</a> |
| <br>  |                    |
| Division 4 - Additional Standards for Dwelling Units .....    | <a href="#">15</a> |
| Application .....   | <a href="#">15</a> |
| Habitable Environment .....                                   | <a href="#">15</a> |
| Potable Water Supply .....                                    | <a href="#">15</a> |
| Heating .....   | <a href="#">15</a> |
| Sanitary Facilities .....                                     | <a href="#">15</a> |
| Ventilation .....   | <a href="#">16</a> |
| Electrical Facilities .....                                   | <a href="#">16</a> |
| Kitchen Facilities .....                                      | <a href="#">16</a> |
| Fire Safety Standards .....                                   | <a href="#">17</a> |
| <br>  |                    |
| Division 5 - Basement and Attic Occupancies .....             | <a href="#">18</a> |
| Application .....   | <a href="#">18</a> |
| Special Requirements for Basement and Attic Occupancies ..... | <a href="#">18</a> |
| Changes Required to First Storey Dwelling Unit .....          | <a href="#">19</a> |
| <br>  |                    |
| Part IV - Enforcement, Offences and Penalties .....           | <a href="#">20</a> |
| Enforcement of Bylaw .....                                    | <a href="#">20</a> |
| Inspections .....   | <a href="#">20</a> |
| Order to Remedy Contravention .....                           | <a href="#">20</a> |
| Registration of Notice of Order .....                         | <a href="#">20</a> |
| Appeal of Order to Remedy .....                               | <a href="#">20</a> |
| City Remedying Contravention .....                            | <a href="#">21</a> |
| Civil Action to Recover Costs .....                           | <a href="#">21</a> |
| Adding Amounts to Tax Roll .....                              | <a href="#">21</a> |
| Emergencies .....   | <a href="#">21</a> |
| Offences .....  | <a href="#">21</a> |
| Repeal of Bylaw .....   | <a href="#">22</a> |
| Coming Into Force .....                                       | <a href="#">22</a> |

## CITY OF WEYBURN

### BYLAW NO. 2004-3021

A bylaw of the City of Weyburn, in the Province of Saskatchewan, to regulate property maintenance and nuisance abatement in the City of Weyburn.

The Council of the City of Weyburn, in the Province of Saskatchewan, enacts as follows:

#### **Part I - Interpretation**

##### **1. Short Title**

- (1) This Bylaw may be cited as The Property Maintenance & Nuisance Abatement Bylaw.

##### **2. Purpose**

- (1) The purpose of this Bylaw is to provide for the proper maintenance of property and the abatement of nuisances, including property or things that:
  - a. Affect the safety, health and welfare of people in the neighborhood; or
  - b. Affect the amenity of a neighborhood.

##### **3. Definitions**

In this Bylaw;

- (1) "Building" means a building within the meaning of *The Cities Act*;
- (2) "City" means The City of Weyburn;
- (3) "Council" means the Council of the City of Weyburn;
- (4) "Dwelling unit" means a room or series of rooms of complementary use operated as a housekeeping unit, used or intended to be used as a domicile by one or more persons and usually containing cooking, eating, living, sleeping and sanitary facilities;
- (5) "Habitable room" means a room in a dwelling unit used or intended to be used for living, sleeping, cooking or eating purposes or any combination thereof; but does not include a bathroom, laundry, pantry, lobby, stairway, closet, service room or other space for service and maintenance of the dwelling unit;
- (6) "Junked vehicle" means any automobile, tractor, truck, trailer or other vehicle that:
  - Either:
    - a. has no valid licence plates attached to it; or
    - b. is in a rusted, wrecked, dismantled, partly dismantled, inoperative or abandoned condition; and
  - Is located on private land, but that:
    - c. is not within a structure erected in accordance with any law respecting the erection of buildings and structures in force within the City; and does not form a part of a business enterprise lawfully being operated on that land;

- (7) “Municipal inspector” means an employee or agent of the City appointed by the Director of Engineering Services of the City of Weyburn to act as a municipal inspector for the purposes of this Bylaw;
- (8) “Nuisance” means;
- a. A condition of property; or
  - b. A thing that affects or may affect the amenity of a neighborhood or the safety, health and welfare of people in the neighborhood, and includes;
  - c. A building in a ruinous or dilapidated state of repair;
  - d. An unoccupied building that is damaged and is an imminent danger to public safety;
  - e. Land that is overgrown with grass and weeds;
  - f. Untidy and unsightly property;
  - g. Junked vehicles;
  - h. Open excavation on property;
- (9) “Occupant” means an occupant as defined in The Cities Act;
- (10) “Owner” means an owner as defined in The Cities Act;
- (11) “Property” means land or building or both;
- (12) “Structure” means anything erected or constructed, the use of which required temporary or permanent location on, or support of, the soil, or attached to something having permanent location on the ground or soil; but not including pavements, curbs, walks, or open air surfaced areas.



#### **4. Responsibility**

- (1) Unless otherwise specified, the owner of a property, including land, buildings and structures shall be responsible for carrying out the provision of this Bylaw.

### **Part II - Nuisances**

**5. Nuisances Prohibited Generally**

- (1) No person shall cause or permit a nuisance to occur on any property owned by that person.

**6. Dilapidated Buildings**

- (1) Notwithstanding the generality of section 5, no person shall cause or permit a building or structure to deteriorate into a ruinous or dilapidated state such that the building or structure:
  - a. Is dangerous to the public health or safety; or
  - b. Substantially depreciates the value of other land or improvements in the neighborhood.

**7. Unoccupied Buildings**

- (1) Notwithstanding the generality of section 5, no person shall cause or permit an unoccupied building to become damaged or to deteriorate into a state of disrepair such that the building is an imminent danger to public safety.

**8. Overgrown Grass and Weeds**

- (1) Notwithstanding the generality of section 5, no owner or occupant of land shall cause or permit the land to be overgrown with grass or weeds.
- (2) For the purpose of this section, "overgrown" means in excess of 20 centimetres in height
- (3) This section shall not apply to any growth which forms part of a natural garden that has been deliberately planted to produce ground cover, including one or more species of wild flowers, shrubs, perennials, grasses or combinations of them, whether native or non-native, consistent with a managed and natural landscape other than regularly mown grass.
- (4) No owner or occupant of land shall cause or permit any adjoining boulevards or lanes to be overgrown with grass or weeds.
- (5) After having been served with an order respecting property overgrown with grass and weeds under this section, no person shall permit or allow lands described in that order to become overgrown with grass and weeds again.

**9. Untidy and Unsightly Property**

- (1) Notwithstanding the generality of section 5, no person shall cause or permit any land or building to become untidy and unsightly due to the accumulation of new or used lumber, cardboard, paper, newspapers, appliances, tires, cans, barrels, scrap metal or other waste materials or junk.
- (2) After having been served with an order respecting untidy or unsightly property under this section, no person shall permit or allow lands described in that order

to become untidy or unsightly again.

- (3) No owner of land shall cause or permit any adjoining boulevards or lanes to become untidy and unsightly due to the accumulation of new or used lumber, cardboard, paper, newspapers, appliances, tires, cans, barrels, scrap metal or other waste materials or junk.

**10. Junked Vehicles**

- (1) Notwithstanding the generality of section 5, no person shall keep a junked vehicle on property in the City of Weyburn.
- (2) After having been served with an order respecting a junked vehicle under this section, no person shall permit or allow a junked vehicle on lands described in that order.

**11. Open Excavations**

- (1) Notwithstanding the generality of section 5, no person shall cause or permit any basement, excavation, drain, ditch, watercourse, pond, surface water, swimming pool or other structure to exist in or on any private land or in or about any building or structure which is dangerous to the public safety or health.

**12. Pet Wastes**

- (1) Pet wastes shall be promptly removed from properties, and disposed of in an acceptable fashion. Pet wastes shall not be allowed to accumulate in an unreasonable fashion.

### **Part III - Property Maintenance**

#### **13. Duty to Maintain**

- (1) All property, including land, buildings and structures, shall be maintained in accordance with the minimum standards prescribed in this Part.
- (2) No person shall cause or permit the occupancy or use of any property, including land, building or structure, that does not conform to the minimum standards.
- (3) Notwithstanding section 4, every occupant of a property, including land, buildings and structures, shall;
  - a. Keep in a clean and sanitary condition that part of the property which the occupant occupies or controls;
  - b. Maintain exits to the exterior of the building in a safe and unobstructed condition;
  - c. Keep any supplied fixtures clean and sanitary and exercise reasonable care in their proper use and operation.

## **Division 1 - Maintenance of Yards and Accessory Buildings**

### **14. Application**

- (1) This Division applies to all accessory buildings and yards within the City

### **15. Maintenance of Yards**

- (1) A yard shall be kept free and clean from;
  - a. Garbage and junk;
  - b. Junked vehicles and dismantled machinery
  - c. Excessive growth of weeds or grass;
  - d. Holes and excavations that could cause an accident;
  - e. An infestation of rodents, vermin or insects;
  - f. Dead or hazardous trees; and
  - g. Sharp or dangerous materials
- (2) A yard shall be graded in such a manner so as to prevent;
  - a. Excessive ponding of water; and
  - b. Excessive dampness accumulating near building or structures.

### **16. Outdoor Storage of Materials**

- (1) Any building materials, lumber, metal boxes or similar items stored in a yard shall be neatly stacked in piles and elevated off the ground so as not to constitute a nuisance or harbourage for rodents, vermin and insects. Materials so stored must be in a quantity and location deemed reasonable and acceptable to the inspector in consideration of the zoning and purpose of the property.

### **17. Refrigerators and Freezers**

- (1) Any refrigerator or freezer left in a yard shall first have its hinges, latches, lid, door or doors removed in order to prevent entrapment within the appliance.

### **18. Walkways, Driveways and Parking Spaces**

- (1) If a walkway, driveway or parking space is provided, it shall be maintained so as to afford safe passage thereon under normal use and weather conditions.

### **19. Waste Disposal**

- (1) Every building shall be provided with a sufficient number of receptacles to contain all waste in accordance with the provisions of the City of Weyburn Refuse Bylaw.



**20. Accessory Buildings**

- (1) Accessory buildings shall be kept;
  - a. In good repair;
  - b. Free of infestation by rodents, vermin and insects; and
  - c. Free of health, fire and safety hazards
- (2) Accessory buildings shall be equipped with doors or closures and shall be kept secured so as to prevent unauthorized entry.

**21. Fences**

- (1) Fences shall be maintained in a safe and reasonable state of repair, appropriate for the neighborhood, as determined by the inspector.

## **Division 2 - Building Standards (Exterior)**

### **22. Application**

- (1) This division applies to all buildings in the City.

### **23. Building Components**

- (1) The structural components of every building, including roofs, stairs, railings, porches, decks, joists, rafters, beams, columns, foundations, floors, walls and ceilings shall be maintained in a safe condition, and shall be capable of performing the function that they were intended to perform.

### **24. Exterior Walls**

- (1) All exterior surfaces shall be made of materials which provide adequate protection from the weather.
- (2) Exterior walls shall be covered with an application of paint, stain, stucco, brick, stone facing or other similar protective surface to protect the walls from deterioration due to moisture penetration.
- (3) Exterior walls shall be free of holes, breaks, loose or rotting boards or timbers or any other conditions which might admit rain or dampness to the interior walls or the interior spaces of the building.

### **25. Roofs**

- (1) A roof, including the fascia board, soffit, cornice and flashing shall be maintained in a watertight conditions so as to prevent deterioration or leakage of water into the building.
- (2) Loose materials, including dangerous accumulations of snow and ice, shall be removed from the roof of a building as soon as reasonably possible so as to prevent damage to the building or injury to person in or near the building.
- (3) Water running off a roof shall be carried away from the building so as not to cause dampness in the walls, ceiling or floors in the building but it shall not drain onto a public street so as to create a hazardous condition or onto any adjacent property so as to damage that property.
- (4) Eavestroughing and downspouts shall be watertight and maintained in good repair.

**26. Chimneys**

- (1) Chimneys, flue pipes and smoke stacks shall be maintained in good repair so as to serve their intended purpose and to prevent gases, water or any other substance from leaking into the building.
- (2) Chimneys, flue pipes and smoke stacks shall be free of any defects.
- (3) Chimneys, flue pipes and smoke stacks shall have all defective masonry or metal components repaired or replaced as needed.
- (4) Chimneys, flue pipes and smoke stacks shall be kept clear of obstructions.

**27. Exterior Doors, Storm Doors, Windows and Screens**

- (1) A door shall be provided at each entrance to a building and when closed it shall be reasonably tight-fitting within its frame.
- (2) Exterior doors, storm doors and storm windows shall be kept in a reasonable state of repair, and shall be weather-tight so as to perform their intended function.
- (3) Openable windows within two metres of ground level shall have an acceptable locking mechanism.
- (4) Exterior doors shall have an acceptable locking mechanism.
- (5) Windows and glass doors which separate heated space from unheated space or the exterior shall be at least double glazed unless there is a separate storm door or window.
- (6) Windows and doors which open to the exterior and which are used for natural ventilation shall be screened so as to provide protection from the weather and insects.

**28. Stairs, Porches, Decks and Railings**

- (1) Stairs, porches, decks and railings shall be maintained in good repair so that no components are broken, loose, rotted or warped.
- (2) A handrail shall be installed on at least one side of all exterior stairs having more than three risers.

### **Division 3 - Building Standards (Interior)**

#### **29. Application**

- (1) This Division applies to all buildings in the City.

#### **30. Floors and Stairs**

- (1) Floors and stairs shall be free of loose, warped, protruding or rotting floor boards.
- (2) Floor and stair coverings, including tiles, linoleum and carpeting shall be kept in a reasonable state of repair.

#### **31. Walls and Ceilings**

- (1) Every wall and ceiling shall be maintained in good condition and free from holes, large cracks, loose plaster and other hazards.
- (2) Every wall and ceiling shall be painted or finished in a suitable manner.
- (3) The surface of every wall and ceiling shall be maintained in a reasonably clean and sanitary condition. Surfaces shall be cleaned so as to avoid buildup or grease or other flammable material.

### **Plumbing, Heating and Mechanical Standards**

#### **32. Water Supply**

- (1) Except where municipal services are not available, every building shall be provided with an adequate supply of potable running water.
- (2) Every sink, wash basin, laundry, bathtub, or shower in a building shall have an adequate supply of hot and cold running water.
- (3) Every toilet shall have an adequate supply of running water.
- (4) Buildings not normally occupied, such as garden sheds or cold storage buildings do not require a potable water supply.

#### **33. Plumbing Facilities**

- (1) All plumbing facilities in a building, including fixtures, drains, water pipes and connections to the water and sewer systems shall be protected from freezing, be maintained in good working order, and be free from leaks or other defects.

#### **34. Gas and Open Flame Type Appliances**

- (1) Gas stoves, water heaters and other gas appliances shall be equipped with suitable pipes or flues for the removal of the products of combustion.
- (2) All gas appliances shall be of an approved types, shall be installed in an approved manner and shall be kept in a proper state of repair.

**35. Fireplaces**

- (1) Fireplaces and similar installations used or intended to be used for burning fuels in open fires, shall be connected to approved chimneys, smoke pipes, flues or gas vents.
- (2) Fireplaces and similar installations shall be installed in accordance with the manufacturer's instructions.
- (3) Fireplaces and similar installations shall be installed so that adjacent combustible materials and structural members are not over-heated to an unsafe condition.
- (4) All chimneys, smoke pipes, flues or gas vents used in connection with a fireplace or similar installation shall be free of leaks and be maintained in a proper state of repair.

**36. Ventilation**

- (1) Every basement, crawl space and similar space shall be adequately ventilated for its intended use.
- (2) Every opening for natural ventilation other than windows shall be constructed to provide protection from the weather, rodents and insects.

**37. Electrical Services**

- (1) All buildings shall be supplied with electrical service that is adequate to safely meet the electrical needs of the building.
- (2) If an electrical outlet currently exists in a bathroom, it shall be an approved outlet. If any new electrical outlet is installed in a bathroom, it shall be a ground fault circuit interrupter (GFCI) type.
- (3) Extension cords, if used, shall be of an approved type and shall not exceed the circuit capacity.
- (4) Extension cords shall not be used in lieu of permanent wiring for electrical outlets, lighting fixtures and switches.

**38. Light**

- (1) Light shall be available at all times in every stairway, corridor, hall, storage room and service room in a building.
- (2) The average level of light in corridors and stairways shall be at least 50 lux (5 foot candles) at floor or tread level.

**39. Egress**

- (1) Every building shall have a means of egress so as to provide a safe, continuous and unobstructed exit from the interior of the building to the exterior at street or grade level.
- (2) Every means of egress shall be maintained in good repair and free of obstructions which constitute a fire hazard.

**40. Structural Standards**

- (1) Every foundation wall forming part of a building shall be maintained in good repair and be structurally sound so as to prevent undue settlement of the building.
- (2) Every part of a building shall be maintained in a structurally sound condition so as to be capable of sustaining safely its own weight and any normal load to which it may be subjected.
- (3) Materials which have been damaged or show evidence of rot or other deterioration shall be repaired or replaced.

## **Division 4 - Additional Standards for Dwelling Units**

### **41. Application**

- (1) This Division applies to all dwelling units in the City.
- (2) The requirements of this Division are in addition to the requirements of Division 2 and 3.

### **42. Habitable Environment**

- (1) Every dwelling unit shall provide a safe and sanitary environment for the occupants in accordance with the requirement of this Division.

### **43. Potable Water Supply**

- (1) Every dwelling unit shall be supplied with hot and cold potable running water.

### **44. Heating**

- (1) Every dwelling unit shall be equipped with adequate heating facilities properly installed and maintained in safe and good working condition.
- (2) Heating facilities shall be capable of maintaining an indoor air temperature of 18 degrees Celsius when the outside temperature is minus 35 degrees Celsius. The required temperature shall be taken at a height of 750 mm from the floor in the centre of each occupied room.
- (3) Portable room heaters shall not be used as a primary source of heat.
- (4) Fuel-burning equipment shall be vented by means of rigid connections to a chimney or flue which provides a sufficient outlet for the escape of all noxious gases.
- (5) Service rooms shall not be used for sleeping.

### **45. Sanitary Facilities**

- (1) Every dwelling unit shall be provided with;
  - a. A toilet;
  - b. A wash basin, and
  - c. A bathtub or shower
- (2) In every dwelling unit where sanitary facilities are shared;
  - a. All occupants shall have convenient access to a bathroom, wash basin and bathtub or shower;
  - b. All required facilities shall be located within the building so as to be accessible from a common hall or passageway without going outside the building or through another occupant's quarters;
  - c. All required facilities shall not be located more than one floor away from

the dwelling unit; and

- d. The number of occupants sharing the use of a bathroom, wash basin and bathtub or shower shall not exceed 10 persons.
- (3) The wash basin shall be in the same room as the toilet, or in an accessible adjoining room.
- (4) all bathrooms shall have mechanical or natural ventilation.
- (5) all bathrooms shall be fully enclosed and fitted with a door capable of being locked from the inside in order to provide privacy for the occupant.
- (6) sewage shall be properly drained into the communal sewage works and where municipal services are not available it shall drain into an approved private sewage works.

#### **46. Ventilation**

- (1) unless a satisfactory alternative means of ventilation is provided, every habitable room shall have at least one window which can be easily opened.
- (2) where a system of mechanical ventilation is provided, it shall be designed and installed generally in accordance with the current National Building Code of Canada.
- (3) All enclosed spaces within a dwelling unit shall;
  - a. Be adequately ventilated;
  - b. Have access of sufficient size to permit entry; and
  - c. Be fitted with a door or panel to enclose the opening except when the access opening is from the adjacent basement and provides ventilation to the crawl space.

#### **47. Electrical Facilities**

- (1) Every habitable room, other than a kitchen, shall have at least one approved electrical outlet.
- (2) Every kitchen shall have at least two approved electrical outlets.
- (3) At least one lighting outlet with fixture shall be provided in every kitchen, utility room, laundry room, dining room, bathroom, hallway, stairway, storage room and service room. The fixture shall be permanently installed and shall be maintained in good working order.

#### **48. Kitchen Facilities**

- (1) Unless otherwise approved, every dwelling unit shall be equipped with safe and adequate cooking facilities for the occupants.
- (2) A counter work surface at least 1500mm long and 500 mm wide, including the area occupied by the kitchen sink, shall be provided in the kitchen.
- (3) A vertical clearance of at least 750 mm shall be provided above the heating



elements of any cooking appliance, to combustible material.

- (4) The 750mm clearance mentioned above may be reduced to 600mm provided that the framing, finishes and cabinets are noncombustible, or are protected by asbestos millboard not less than 6 mm thick, covered with sheet metal not less than 0.33 mm thick, or a metal range hood providing adequate shielding of the framing, finishes and cabinets.

#### **49. Fire Safety Standards**

- (1) If more than one dwelling unit is located above the first floor, each dwelling unit located on a floor above the first, and which shares an egress system, shall have access to a second means of egress which shall not pass through a room or space in another dwelling unit.
- (2) Smoke alarms shall be installed in each dwelling unit in accordance with the current National Fire Code of Canada. Such smoke alarms may be 110v or battery operated.
- (3) Smoke alarms shall be inspected, tested and maintained in accordance with the current National Fire Code of Canada.
- (4) Smoke alarms within dwelling units shall be installed between each sleeping area and the remainder of the dwelling unit and, if the sleeping areas are served by hallways, the smoke alarms shall be installed in the hallway.
- (5) Smoke alarms shall be installed on or near the ceiling.

## **Division 5 - Basement and Attic Occupancies**

### **50. Application**

- (1) This Division applies to dwelling units located in basements and attics.
- (2) The requirements of this Division are in addition to the requirements of Division 2, 3 and 4 of this Part.

### **51. Special Requirements for Basement and Attic Occupancies**

- (1) Notwithstanding the other requirements of this Part, basement and attic space shall not be used as a dwelling unit or habitable room unless it meets the following requirements;
  - a. Access to every dwelling unit or habitable room shall be gained without passage through a service room;
  - b. Every dwelling unit shall be separated from another dwelling unit (walls and ceilings) by a fire separation having a fire-resistance rating of not less than 30 minutes;
  - c. Every service room shall be separated from adjacent rooms and spaces by a fire separation having a fire-resistance rating of not less than 30 minutes (walls only). Every service room shall have a solid core door complete with a latch and closer;
  - d. An interior stairway, used for the purpose of exiting a dwelling unit, shall be separated from the remainder of the building by a fire separation having a fire-resistance rating of not less than 30 minutes;
  - e. Every doorway providing egress from a dwelling unit to an exit or a means of egress shall be equipped with a door and frame having a fire-resistance rating of not less than 20 minutes. (A 45mm thick solid core door and 38mm solid wood frame is acceptable). The door shall be equipped with a latch and closer.
  - f. The rise, run, tread depth, width and head room of stairs forming part of an interior stairway used for the purpose of exiting a dwelling unit shall reasonably conform to the current National Building Code for Canada, and the stairs shall have a handrail installed on at least one side;
  - g. An exit corridor forming part of a means of egress from a dwelling unit shall have a minimum ceiling height of 1.95 metres. Projections or obstructions into an exit corridor shall not reduce the ceiling height to less than 1.80 metres;
  - h. Every room in a dwelling unit shall have a minimum ceiling height of 1.95 metres over not less than 75% of the room area. Projections or obstructions in the room shall not reduce the ceiling height to less than 1.80 metres;

- i. Smoke alarms in dwelling units may be battery operated or 110v and shall be located and maintained in accordance with the current National Fire Code of Canada;
- j. A smoke detector shall be installed in every service room, and it shall be interconnected so that the activation of the smoke detector will cause the smoke alarm in the first storey dwelling unit to sound;
- k. Every dwelling located in a basement or attic shall have at least two outside windows which can be opened from the inside without the use of tools or special knowledge.
- l. Every bedroom in a dwelling unit shall have at least one openable window. Windows shall provide unobstructed openings with areas not less than 0.35 square metres and with no dimension less than 380 mm;
- m. A source for continuous fresh combustion air shall be provided in every service room containing open flame appliances.

**52. Changes Required to First Storey Dwelling Unit**

- (1) If basement or attic space is used as a dwelling unit or habitable room, a dwelling unit on the first storey shall, in addition to the other standards prescribed by this Part, meet the following additional requirements:
  - a. Every doorway providing egress from a first storey dwelling unit to a shared exit, or a shared means of egress shall be equipped with a door and frame having a fire-resistance rating of not less than 20 minutes. (A 45 mm thick solid core door and 38 mm solid wood frame is acceptable). The door shall be equipped with a latch and closer;
  - b. Smoke alarms in the first storey dwelling unit may be battery operated or 110v and shall be located and maintained in accordance with the current National Fire Code;
  - c. Smoke alarm(s) in the first storey dwelling unit shall be interconnected so that the activation of the smoke detector in the service room of the building will cause the smoke alarm(s) to sound.

## **Part IV - Enforcement, Offences and Penalties**

### **53. Enforcement of Bylaw**

- (1) The administration and enforcement of this Bylaw is hereby delegated to the Director of Engineering Services for the City of Weyburn.
- (2) The Director of Engineering Services for the City of Weyburn is hereby authorized to further delegate the administration and enforcement of the Bylaw to municipal inspectors

### **54. Inspections**

- (1) The inspection of property by the City to determine if this Bylaw is being complied with is hereby authorized.
- (2) Inspection under this Bylaw shall be carried out in accordance with section 324 of *The Cities Act*
- (3) No person shall obstruct a municipal inspector who is authorized to conduct inspections under this section, or a person who is assisting a municipal inspector.

### **55. Order to Remedy Contravention**

- (1) If an inspector finds that a person is contravening this Bylaw, the inspector may, by written order, require the owner or occupant of the property to which the contravention relates to remedy the contravention.
- (2) Orders given under this Bylaw shall comply with section 328 of *The Cities Act*.
- (3) Orders given under this bylaw shall be served in accordance with section 347 of *The Cities Act*

### **56. Registration of Notice of Order**

- (1) If an order is issued pursuant to section 55, the City may, in accordance with section 328 of *The Cities Act*, give notice of the existence of the order by registering an interest against the title to the land that is the subject of the order.

### **57. Appeal of Order to Remedy**

- (1) A person may appeal an order made pursuant to section 55 in accordance with section 329 of *The Cities Act*.
- (2) Appeals shall be made initially to the City of Weyburn Property Maintenance Review Committee.

**58. City Remedying Contravention**

- (1) The City may, in accordance with section 330 of *The Cities Act*, take whatever actions or measures are necessary to remedy a contravention of this Bylaw.

**59. Civil Action to Recover Costs**

- (1) The City may, in accordance with section 332 of *The Cities Act*, collect any unpaid expenses and costs incurred in remedying a contravention of this Bylaw by civil action for debt in a court of competent jurisdiction.

**60. Adding Amounts to Tax Roll**

- (1) The City may, in accordance with section 333 of *The Cities Act*, add any unpaid expenses and costs incurred by the City in remedying a contravention of this Bylaw to the taxes on the property on which the work was done.

**61. Emergencies**

- (1) In the event that it becomes an emergency to remedy a contravention of this Bylaw, the City may take whatever actions or measures are necessary to eliminate the emergency in accordance with the provisions of section 331 of *The Cities Act*.

**62. Offences**

- (1) No person shall;
- a. Fail to comply with an order made pursuant to this Bylaw;
  - b. Obstruct or hinder any municipal inspector or any other person acting under the authority of this Bylaw; or
  - c. Fail to comply with any other provision of this Bylaw.
- (2) Every person who contravenes any provision of subsection (1) is guilty of an offence and liable on summary conviction:
- a. In the case of an individual, to a fine not exceeding \$10,000 and, in the case of a continuing offence, to a further fine not exceeding \$2,500 for each day during which the offence continues;
  - b. In the case of a corporation, to a fine not exceeding a \$25,000 and, in the case of a continuing offence, to a further fine not exceeding \$2,500 for each day during which the offence continues.
- (3) In the event of non-payment of a fine imposed pursuant to clause 2(a), the individual convicted may be imprisoned for a term of not more than one year, unless the fine is paid sooner.

**63. Repeal of Bylaw**

- (1) Bylaw number 95-1896 to provide for the control of untidy and unsightly premises is hereby repealed.
- (2) Bylaw Number 95-1897 to provide for the control of junked vehicles is hereby repealed.

**64. Coming Into Force**

- (1) This bylaw shall come into force on the day of its final passing.

Original Signed By Don Schlosser  
Mayor

Original Signed by Cheryl Rommann  
City Clerk

Read a first time this 12<sup>th</sup> day of January, 2004.

Read a second time this 12<sup>th</sup> day of January, 2004.

Read a third time this 26<sup>th</sup> day of January, 2004, and passed.

C:\MyFiles\WPDOCS\DOUG\Cow\Bylaws\Property Maintenance Bylaw Jan 26, 2004.wpd